

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Octopus Fluids Alcohol Ink MIDNIGHT**

Revision date: 01.03.2022

Product code: AI-BK010

Page 1 of 10

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Octopus Fluids Alcohol Ink MIDNIGHT

**Further trade names**

AI-BK010-030

AI-BK010-100

UFI: D44Q-D1RD-R000-G7DJ

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

creative ink

**1.3. Details of the supplier of the safety data sheet**

|                 |                             |                          |
|-----------------|-----------------------------|--------------------------|
| Company name:   | Octopus Fluids GmbH & Co.KG |                          |
| Street:         | Hamburger Str. 14           |                          |
| Place:          | D-01067 Dresden             |                          |
| Telephone:      | + 49 351 7968925            | Telefax: +49 351 8894982 |
| e-mail:         | mail@octopus-fluids.de      |                          |
| Contact person: | Lange                       |                          |
| e-mail:         | mail@octopus-fluids.de      |                          |
| Internet:       | www.octopus-fluids.de       |                          |

**1.4. Emergency telephone number:** + 49 351 7968925 (9 a.m. to 4 p.m.)**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Flam. Liq. 2; H225

Eye Irrit. 2; H319

STOT SE 3; H336

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008****Hazard components for labelling**

propan-2-ol; isopropyl alcohol; isopropanol

1-methoxy-2-propanol; monopropylene glycol methyl ether

**Signal word:** Danger**Pictograms:****Hazard statements**

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

**Precautionary statements**

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Octopus Fluids Alcohol Ink MIDNIGHT**

Revision date: 01.03.2022

Product code: AI-BK010

Page 2 of 10

|                |  |
|----------------|--|
| P271           | smoking.   |
| P280           | Use only outdoors or in a well-ventilated area.  |
| P305+P351+P338 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.                                    |
| P403+P235      | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P405           | Store in a well-ventilated place. Keep cool.   |
| P501           | Store locked up.   |
|                | Dispose of contents/container to an appropriate recycling or disposal facility.  |

**Labelling of packages where the contents do not exceed 125 ml**
**Signal word:** Danger

**Pictograms:**

**Hazard statements**

H336

**Precautionary statements**

P102-P271-P405-P501

**2.3. Other hazards**

No information available.

**SECTION 3: Composition/information on ingredients**
**3.2. Mixtures**
**Hazardous components**

| CAS No      | Chemical name  |              |                  | Quantity    |
|-------------|--|--------------|------------------|-------------|
|             | EC No  | Index No     | REACH No         |             |
|             | Classification (Regulation (EC) No 1272/2008)                |              |                  |             |
| 67-63-0     | propan-2-ol; isopropyl alcohol; isopropanol                  |              |                  | 50 - < 70 % |
|             | 200-661-7  | 603-117-00-0 |                  |             |
|             | Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336        |              |                  |             |
| 1569-01-3   | 1-Propoxy-2-propanol   |              |                  | 5 - < 10 %  |
|             | 216-372-4  |              | 01-2119474443-37 |             |
|             | Flam. Liq. 3, Eye Irrit. 2; H226 H319                        |              |                  |             |
| 107-98-2    | 1-methoxy-2-propanol; monopropylene glycol methyl ether      |              |                  | 5 - < 10 %  |
|             | 203-539-1  | 603-064-00-3 |                  |             |
|             | Flam. Liq. 3, STOT SE 3; H226 H336                           |              |                  |             |
| 64-17-5     | ethanol; ethyl alcohol                                       |              |                  | 5 - < 10 %  |
|             | 200-578-6  | 603-002-00-5 |                  |             |
|             | Flam. Liq. 2, Eye Irrit. 2; H225 H319                        |              |                  |             |
| 117527-94-3 | Solvent Black MD   |              |                  | 1 - < 3 %   |
|             | 403-720-7  |              |                  |             |
|             | Aquatic Chronic 2; H411                                      |              |                  |             |
| 78-93-3     | butanone; ethyl methyl ketone                                |              |                  | < 0.1 %     |
|             | 201-159-0  | 606-002-00-3 |                  |             |
|             | Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066 |              |                  |             |

Full text of H and EUH statements: see section 16.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Octopus Fluids Alcohol Ink MIDNIGHT**

Revision date: 01.03.2022

Product code: AI-BK010

Page 3 of 10

**Specific Conc. Limits, M-factors and ATE**

| CAS No   | EC No     | Chemical name   | Quantity   |
|----------|-----------|---|------------|
|          |           | Specific Conc. Limits, M-factors and ATE                |            |
| 107-98-2 | 203-539-1 | 1-methoxy-2-propanol; monopropylene glycol methyl ether | 5 - < 10 % |
|          |           | dermal: LD50 = 11000 mg/kg; oral: LD50 = > 5000 mg/kg   |            |

**SECTION 4: First aid measures****4.1. Description of first aid measures****After inhalation**

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

**After contact with skin**

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

**After contact with eyes**

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

**After ingestion**

Rinse mouth immediately and drink 1 glass of water.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Water spray jet, Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder.

**Unsuitable extinguishing media**

Water.

**5.2. Special hazards arising from the substance or mixture**

Highly flammable. Vapours can form explosive mixtures with air.

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

**6.2. Environmental precautions**

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

**6.3. Methods and material for containment and cleaning up****For cleaning up**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Octopus Fluids Alcohol Ink MIDNIGHT**

Revision date: 01.03.2022

Product code: AI-BK010

Page 4 of 10

recovered material as prescribed in the section on waste disposal.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage**
**7.1. Precautions for safe handling**
**Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

**Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

**Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

**7.2. Conditions for safe storage, including any incompatibilities**
**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Hints on joint storage**

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

**7.3. Specific end use(s)**

creative ink

**SECTION 8: Exposure controls/personal protection**
**8.1. Control parameters**
**Occupational exposure limit values**

| CAS No   | Name of agent        | ppm | mg/m <sup>3</sup> | fib/cm <sup>3</sup> | Category      | Origin |
|----------|----------------------|-----|-------------------|---------------------|---------------|--------|
| 107-98-2 | 1-Methoxypropan-2-ol | 100 | 375               |                     | TWA (8 h)     |        |
|          |                      | 150 | 568               |                     | STEL (15 min) |        |
| 78-93-3  | Butanone             | 200 | 600               |                     | TWA (8 h)     |        |
|          |                      | 300 | 900               |                     | STEL (15 min) |        |

**8.2. Exposure controls**

**Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

**Individual protection measures, such as personal protective equipment**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Octopus Fluids Alcohol Ink MIDNIGHT**

Revision date: 01.03.2022

Product code: AI-BK010

Page 5 of 10

**Eye/face protection**

Suitable eye protection: goggles.

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

**Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

**Thermal hazards**

Flame-retardant protective clothing. Wear anti-static footwear and clothing .

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

|                 |         |
|-----------------|---------|
| Physical state: | Liquid  |
| Colour:         | black   |
| Odour:          | Alcohol |

**Test method****Changes in the physical state**

|   |                |
|---|----------------|
| Melting point/freezing point:                             | not determined |
| Boiling point or initial boiling point and boiling range: | 78 °C          |
| Flash point:  | 12 °C          |

**Flammability**

|               |                |
|---------------|----------------|
| Solid/liquid: | not applicable |
| Gas:          | not applicable |

**Explosive properties**

The product is not: Explosive.

|                            |                |
|----------------------------|----------------|
| Lower explosion limits:    | not determined |
| Upper explosion limits:    | not determined |
| Auto-ignition temperature: | not determined |
| Decomposition temperature: | not determined |
| pH-Value:                  | not determined |
| Water solubility:          | not determined |

**Solubility in other solvents**

not determined

|  |                        |
|--|------------------------|
| Partition coefficient n-octanol/water: | not determined         |
| Vapour pressure:                       | not determined         |
| Vapour pressure:                       | ASTM D 323             |
| Density:                               | 0,85 g/cm <sup>3</sup> |
| Relative vapour density:               | not determined         |

**9.2. Other information****Information with regard to physical hazard classes****Oxidizing properties**

The product is not: oxidising.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Octopus Fluids Alcohol Ink MIDNIGHT

Revision date: 01.03.2022

Product code: AI-BK010

Page 6 of 10

#### Other safety characteristics

Solvent content: 89,42 %  
 Solid content: not determined  
 Evaporation rate: not determined

#### Further Information

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Highly flammable.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

Based on available data, the classification criteria are not met.

| CAS No   | Chemical name   |                   |         |        |        |
|----------|---|-------------------|---------|--------|--------|
|          | Exposure route  | Dose              | Species | Source | Method |
| 107-98-2 | 1-methoxy-2-propanol; monopropylene glycol methyl ether |                   |         |        |        |
|          | oral  | LD50 > 5000 mg/kg | Rat     | IUCLID |        |
|          | dermal  | LD50 11000 mg/kg  | Rabbit  |        |        |

##### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

##### Sensitising effects

Based on available data, the classification criteria are not met.

##### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

##### STOT-single exposure

May cause drowsiness or dizziness. (propan-2-ol; isopropyl alcohol; isopropanol)

##### STOT-repeated exposure

Based on available data, the classification criteria are not met.

##### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Octopus Fluids Alcohol Ink MIDNIGHT

Revision date: 01.03.2022

Product code: AI-BK010

Page 7 of 10

#### Endocrine disrupting properties

No information available.

#### Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### SECTION 12: Ecological information

#### 12.1. Toxicity

The product is not: Ecotoxic.

| CAS No   | Chemical name   |                        |           |                           |        |        |
|----------|---|------------------------|-----------|---------------------------|--------|--------|
|          | Aquatic toxicity  | Dose                   | [h]   [d] | Species                   | Source | Method |
| 67-63-0  | propan-2-ol; isopropyl alcohol; isopropanol             |                        |           |                           |        |        |
|          | Acute algae toxicity                                    | ErC50 > 100 mg/l       | 72 h      |                           |        |        |
| 107-98-2 | 1-methoxy-2-propanol; monopropylene glycol methyl ether |                        |           |                           |        |        |
|          | Acute fish toxicity                                     | LC50 4600 - 10000 mg/l | 96 h      | Leuciscus idus            | IUCLID |        |
|          | Acute algae toxicity                                    | ErC50 > 1000 mg/l      | 72 h      | Selenastrum capricornutum |        |        |
|          | Acute crustacea toxicity                                | EC50 > 500 mg/l        | 48 h      | Daphnia magna             | IUCLID |        |

#### 12.2. Persistence and degradability

The product has not been tested.

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

| CAS No   | Chemical name   | Log Pow |
|----------|---|---------|
| 107-98-2 | 1-methoxy-2-propanol; monopropylene glycol methyl ether | -0,437  |

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

No information available.

#### 12.7. Other adverse effects

No information available.

#### Further information

Avoid release to the environment.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

##### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Octopus Fluids Alcohol Ink MIDNIGHT**

Revision date: 01.03.2022

Product code: AI-BK010

Page 8 of 10

**SECTION 14: Transport information**
**Land transport (ADR/RID)**

**14.1. UN number or ID number:** UN 1263  
**14.2. UN proper shipping name:** PAINT  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** III  
 Hazard label: 3



Classification code: F1  
 Special Provisions: 163 367 650  
 Limited quantity: 5 L  
 Excepted quantity: E1  
 Transport category: 3  
 Hazard No: 30  
 Tunnel restriction code: D/E

**Marine transport (IMDG)**

**14.1. UN number or ID number:** UN 1263  
**14.2. UN proper shipping name:** PAINT  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** III  
 Hazard label: 3



Special Provisions: 163, 223, 367, 955  
 Limited quantity: 5 L  
 Excepted quantity: E1  
 EmS: F-E, S-E

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:** UN 1263  
**14.2. UN proper shipping name:** PAINT  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
 Hazard label: 3



Special Provisions: A3 A72 A192  
 Limited quantity Passenger: 1 L  
 Passenger LQ: Y341  
 Excepted quantity: E2  
 IATA-packing instructions - Passenger: 353  
 IATA-max. quantity - Passenger: 5 L  
 IATA-packing instructions - Cargo: 364  
 IATA-max. quantity - Cargo: 60 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Octopus Fluids Alcohol Ink MIDNIGHT**

Revision date: 01.03.2022

Product code: AI-BK010

Page 9 of 10

**14.6. Special precautions for user**

Warning: Combustible liquid.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

2010/75/EU (VOC): 88,799 % (754,795 g/l)

2004/42/EC (VOC): 88,799 % (754,795 g/l)

Information according to 2012/18/EU  
(SEVESO III): P5c FLAMMABLE LIQUIDS**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Abbreviations and acronyms**

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

VOC: Volatile Organic Compounds

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

IMDG: International Maritime Code for Dangerous Goods

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Octopus Fluids Alcohol Ink MIDNIGHT**

Revision date: 01.03.2022

Product code: AI-BK010

Page 10 of 10

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

**Classification for mixtures and used evaluation method according to regulation (EC) No. 1272/2008 [CLP]**

| Classification     | Classification procedure |
|--------------------|--------------------------|
| Flam. Liq. 2; H225 | On basis of test data    |
| Eye Irrit. 2; H319 | Calculation method       |
| STOT SE 3; H336    | Calculation method       |

**Relevant H and EUH statements (number and full text)**

|        |   |
|--------|---|
| H225   | Highly flammable liquid and vapour.                   |
| H226   | Flammable liquid and vapour.                          |
| H319   | Causes serious eye irritation.                        |
| H336   | May cause drowsiness or dizziness.                    |
| H411   | Toxic to aquatic life with long lasting effects.      |
| EUH066 | Repeated exposure may cause skin dryness or cracking. |

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*