

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Octopus Fluids Alcohol Ink BERRY JUICE

Revision date: 15.02.2022

Product code: AI-VT075

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Octopus Fluids Alcohol Ink BERRY JUICE

Further trade names

AI-VT075-030

AI-VT075-100

UFI: S82U-FW8W-5MJN-9E52

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

creative ink

1.3. Details of the supplier of the safety data sheet

| | | |
|-----------------|-----------------------------|--------------------------|
| Company name: | Octopus Fluids GmbH & Co.KG | |
| Street: | Hamburger Str. 14 | |
| Place: | D-01067 Dresden | |
| Telephone: | + 49 351 7968925 | Telefax: +49 351 8894982 |
| e-mail: | mail@octopus-fluids.de | |
| Contact person: | Lange | |
| e-mail: | mail@octopus-fluids.de | |
| Internet: | www.octopus-fluids.de | |

1.4. Emergency telephone number: + 49 351 7968925 (9 a.m. to 4 p.m.)**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Flam. Liq. 2; H225

Eye Irrit. 2; H319

STOT SE 3; H336

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008****Hazard components for labelling**

propan-2-ol; isopropyl alcohol; isopropanol

1-methoxy-2-propanol; monopropylene glycol methyl ether

Signal word: Danger**Pictograms:****Hazard statements**

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Octopus Fluids Alcohol Ink BERRY JUICE

Revision date: 15.02.2022

Product code: AI-VT075

Page 2 of 10

| | |
|-----------|---|
| P271 | smoking. |
| P280 | Use only outdoors or in a well-ventilated area. |
| P403+P235 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. |
| P405 | Store in a well-ventilated place. Keep cool. |
| P501 | Store locked up. |
| | Dispose of contents/container to an appropriate recycling or disposal facility. |

Labelling of packages where the contents do not exceed 125 ml
Signal word: Danger

Pictograms:

Hazard statements

H336

Precautionary statements

P102-P271-P405-P501

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Hazardous components

| CAS No | Chemical name | | | Quantity |
|------------|--|--------------|------------------|-------------|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | | | |
| 67-63-0 | propan-2-ol; isopropyl alcohol; isopropanol | | | 50 - < 70 % |
| | 200-661-7 | 603-117-00-0 | | |
| | Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 | | | |
| 1569-01-3 | 1-Propoxy-2-propanol | | | 5 - < 10 % |
| | 216-372-4 | | 01-2119474443-37 | |
| | Flam. Liq. 3, Eye Irrit. 2; H226 H319 | | | |
| 107-98-2 | 1-methoxy-2-propanol; monopropylene glycol methyl ether | | | 5 - < 10 % |
| | 203-539-1 | 603-064-00-3 | | |
| | Flam. Liq. 3, STOT SE 3; H226 H336 | | | |
| 64-17-5 | ethanol; ethyl alcohol | | | 5 - < 10 % |
| | 200-578-6 | 603-002-00-5 | | |
| | Flam. Liq. 2, Eye Irrit. 2; H225 H319 | | | |
| 97862-65-2 | Solvent Red 127 | | | 1 - < 3 % |
| | 308-114-5 | | | |
| | Acute Tox. 4, Aquatic Chronic 2; H302 H411 | | | |
| 78-93-3 | butanone; ethyl methyl ketone | | | < 0.1 % |
| | 201-159-0 | 606-002-00-3 | | |
| | Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066 | | | |

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Octopus Fluids Alcohol Ink BERRY JUICE

Revision date: 15.02.2022

Product code: AI-VT075

Page 3 of 10

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|------------|--|---|------------|
| | Specific Conc. Limits, M-factors and ATE | | |
| 107-98-2 | 203-539-1 | 1-methoxy-2-propanol; monopropylene glycol methyl ether | 5 - < 10 % |
| | | dermal: LD50 = 11000 mg/kg; oral: LD50 = > 5000 mg/kg | |
| 97862-65-2 | 308-114-5 | Solvent Red 127 | 1 - < 3 % |
| | | oral: LD50 = 526 mg/kg | |

SECTION 4: First aid measures**4.1. Description of first aid measures****After inhalation**

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink 1 glass of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Water spray jet, Carbon dioxide (CO₂), Foam, Extinguishing powder.

Unsuitable extinguishing media

Water.

5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

6.3. Methods and material for containment and cleaning up

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Octopus Fluids Alcohol Ink BERRY JUICE

Revision date: 15.02.2022

Product code: AI-VT075

Page 4 of 10

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage
7.1. Precautions for safe handling
Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities
Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

7.3. Specific end use(s)

creative ink

SECTION 8: Exposure controls/personal protection
8.1. Control parameters
Occupational exposure limit values

| CAS No | Name of agent | ppm | mg/m ³ | fib/cm ³ | Category | Origin |
|----------|----------------------|-----|-------------------|---------------------|---------------|--------|
| 107-98-2 | 1-Methoxypropan-2-ol | 100 | 375 | | TWA (8 h) | |
| | | 150 | 568 | | STEL (15 min) | |
| 78-93-3 | Butanone | 200 | 600 | | TWA (8 h) | |
| | | 300 | 900 | | STEL (15 min) | |

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Octopus Fluids Alcohol Ink BERRY JUICE

Revision date: 15.02.2022

Product code: AI-VT075

Page 5 of 10

Individual protection measures, such as personal protective equipment**Eye/face protection**

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Thermal hazards

Flame-retardant protective clothing. Wear anti-static footwear and clothing .

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

| | |
|-----------------|-----------|
| Physical state: | Liquid |
| Colour: | dark blue |
| Odour: | Alcohol |

Test method**Changes in the physical state**

| | |
|---|----------------|
| Melting point/freezing point: | not determined |
| Boiling point or initial boiling point and boiling range: | 78 °C |
| Flash point: | 12 °C |

Flammability

| | |
|---------------|----------------|
| Solid/liquid: | not applicable |
| Gas: | not applicable |

Explosive properties

The product is not: Explosive.

| | |
|----------------------------|----------------|
| Lower explosion limits: | not determined |
| Upper explosion limits: | not determined |
| Auto-ignition temperature: | not determined |
| Decomposition temperature: | not determined |
| pH-Value: | not determined |
| Water solubility: | not determined |

Solubility in other solvents

not determined

| | |
|--|------------------------|
| Partition coefficient n-octanol/water: | not determined |
| Vapour pressure: | not determined |
| Vapour pressure: | ASTM D 323 |
| Density: | 0,85 g/cm ³ |
| Relative vapour density: | not determined |

9.2. Other information**Information with regard to physical hazard classes**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Octopus Fluids Alcohol Ink BERRY JUICE

Revision date: 15.02.2022

Product code: AI-VT075

Page 6 of 10

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Solvent content: 89,42 %

Solid content: not determined

Evaporation rate: not determined

Further Information

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | |
|------------|---|-------------------|---------|--------|--------|
| | Exposure route | Dose | Species | Source | Method |
| 107-98-2 | 1-methoxy-2-propanol; monopropylene glycol methyl ether | | | | |
| | oral | LD50 > 5000 mg/kg | Rat | IUCLID | |
| | dermal | LD50 11000 mg/kg | Rabbit | | |
| 97862-65-2 | Solvent Red 127 | | | | |
| | oral | LD50 526 mg/kg | Rat | | |

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (propan-2-ol; isopropyl alcohol; isopropanol)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Octopus Fluids Alcohol Ink BERRY JUICE

Revision date: 15.02.2022

Product code: AI-VT075

Page 7 of 10

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards
Endocrine disrupting properties

No information available.

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information
12.1. Toxicity

The product is not: Ecotoxic.

| CAS No | Chemical name | | | | | |
|------------|---|------------------------|-----------|---------------------------|--------|--------|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 67-63-0 | propan-2-ol; isopropyl alcohol; isopropanol | | | | | |
| | Acute algae toxicity | ErC50 > 100 mg/l | 72 h | | | |
| 107-98-2 | 1-methoxy-2-propanol; monopropylene glycol methyl ether | | | | | |
| | Acute fish toxicity | LC50 4600 - 10000 mg/l | 96 h | Leuciscus idus | IUCLID | |
| | Acute algae toxicity | ErC50 > 1000 mg/l | 72 h | Selenastrum capricornutum | | |
| | Acute crustacea toxicity | EC50 > 500 mg/l | 48 h | Daphnia magna | IUCLID | |
| 97862-65-2 | Solvent Red 127 | | | | | |
| | Acute fish toxicity | LC50 1,45 mg/l | 96 h | | | |

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|----------|---|---------|
| 107-98-2 | 1-methoxy-2-propanol; monopropylene glycol methyl ether | -0,437 |

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

No information available.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Octopus Fluids Alcohol Ink BERRY JUICE

Revision date: 15.02.2022

Product code: AI-VT075

Page 8 of 10

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information**Land transport (ADR/RID)**

| | |
|--|---------|
| 14.1. UN number or ID number: | UN 1263 |
| 14.2. UN proper shipping name: | PAINT |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | III |
| Hazard label: | 3 |



| | |
|--------------------------|-------------|
| Classification code: | F1 |
| Special Provisions: | 163 367 650 |
| Limited quantity: | 5 L |
| Excepted quantity: | E1 |
| Transport category: | 3 |
| Hazard No: | 30 |
| Tunnel restriction code: | D/E |

Marine transport (IMDG)

| | |
|--|---------|
| 14.1. UN number or ID number: | UN 1263 |
| 14.2. UN proper shipping name: | PAINT |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | III |
| Hazard label: | 3 |



| | |
|---------------------|--------------------|
| Special Provisions: | 163, 223, 367, 955 |
| Limited quantity: | 5 L |
| Excepted quantity: | E1 |
| EmS: | F-E, S-E |

Air transport (ICAO-TI/IATA-DGR)

| | |
|--|---------|
| 14.1. UN number or ID number: | UN 1263 |
| 14.2. UN proper shipping name: | PAINT |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | II |
| Hazard label: | 3 |



| | |
|-----------------------------|-------------|
| Special Provisions: | A3 A72 A192 |
| Limited quantity Passenger: | 1 L |
| Passenger LQ: | Y341 |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Octopus Fluids Alcohol Ink BERRY JUICE

Revision date: 15.02.2022

Product code: AI-VT075

Page 9 of 10

| | | |
|--|----|------|
| Excepted quantity: | E2 | |
| IATA-packing instructions - Passenger: | | 353 |
| IATA-max. quantity - Passenger: | | 5 L |
| IATA-packing instructions - Cargo: | | 364 |
| IATA-max. quantity - Cargo: | | 60 L |

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Combustible liquid.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

| | |
|---|------------------------|
| 2010/75/EU (VOC): | 88,872 % (755,415 g/l) |
| 2004/42/EC (VOC): | 88,872 % (755,415 g/l) |
| Information according to 2012/18/EU (SEVESO III): | P5c FLAMMABLE LIQUIDS |

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Abbreviations and acronyms**

CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
ADR: Accord européen sur le transport des marchandises dangereuses par Route

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Octopus Fluids Alcohol Ink BERRY JUICE

Revision date: 15.02.2022

Product code: AI-VT075

Page 10 of 10

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

VOC: Volatile Organic Compounds

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

Classification for mixtures and used evaluation method according to regulation (EC) No. 1272/2008 [CLP]

| Classification | Classification procedure |
|--------------------|--------------------------|
| Flam. Liq. 2; H225 | On basis of test data |
| Eye Irrit. 2; H319 | Calculation method |
| STOT SE 3; H336 | Calculation method |

Relevant H and EUH statements (number and full text)

| | |
|--------|---|
| H225 | Highly flammable liquid and vapour. |
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| H411 | Toxic to aquatic life with long lasting effects. |
| EUH066 | Repeated exposure may cause skin dryness or cracking. |

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)